



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

ALABAMA—*Mobile*.—Month of January, 1899. Estimated population, 37,817. Total number of deaths, 81, including la grippe, 2, and 13 from phthisis pulmonalis.

Month of February, 1899. Total number of deaths, 120, including enteric fever, 1; la grippe, 2, and 12 from phthisis pulmonalis.

CALIFORNIA—*San Francisco*.—Month of February, 1899. Estimated population, 360,000. Total number of deaths, 656, including diphtheria, 10; enteric fever, 22; la grippe, 22; measles, 16; scarlet fever, 5; whooping cough, 8, and 68 from phthisis pulmonalis.

CONNECTICUT—*Hartford*.—Month of March, 1899. Estimated population, 74,000. Total number of deaths, 135, including diphtheria, 1; enteric fever, 1; la grippe, 7; measles, 2; whooping cough, 1, and 16 from phthisis pulmonalis.

GEORGIA—*Columbus*.—Month of March, 1899. Estimated population, 19,303—white, 10,276; colored, 9,027. Total number of deaths, 29—white 7, colored 22, including enteric fever, 1; la grippe, 1; small-pox, 3, and 2 from phthisis pulmonalis.

ILLINOIS—*Chicago*.—During the week ended April 1, 1899, 12 certificates of death were returned to the office of the commissioner of health giving influenza and its complications as the cause thereof, viz, 1 to uncomplicated influenza, 11 to influenza as the cause complicated with other affections, chiefly chronic diseases, also 11 giving diphtheria as the cause, 65 cases being reported, and 20 giving scarlet fever as the cause, 125 cases being reported.

Ottawa.—Month of March, 1899. Estimated population, 12,000. Total number of deaths 11, including 3 from phthisis pulmonalis.

Springfield.—Month of March, 1899. Estimated population, 35,000. Total number of deaths, 44, including enteric fever, 1, and 6 from phthisis pulmonalis.

INDIANA—*Evansville*.—Month of March, 1899. Estimated population, 70,000. Total number of deaths, 111, including diphtheria, 1; enteric fever, 1; measles, 1; la grippe, 7, and 14 from phthisis pulmonalis.

IOWA—*Davenport*.—Month of March, 1899. Estimated population, 36,000. Total number of deaths, 45, including enteric fever, 1; la grippe, 1, and 4 from phthisis pulmonalis.

MASSACHUSETTS—*Brockton*.—Month of March, 1899. Estimated population, 37,278. Total number of deaths, 34, including diphtheria, 1; la grippe, 1, and 4 from phthisis pulmonalis.

Holyoke.—Month of March, 1899. Estimated population, 44,982. Total number of deaths, 62, including whooping cough, 1, and 5 from phthisis pulmonalis.

Worcester.—Month of February, 1899. Estimated population, 108,463. Total number of deaths, 171, including la grippe, 13, and 14 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended April 1, 1899, from 67 observers, indicate that intermittent fever increased in area of prevalence. Phthisis pulmonalis was reported present at 130, measles at 44, scarlet fever at 41, diphtheria at 22, enteric fever at 22, whooping cough at 10, and smallpox at 5 places—Benton Township, Kalamazoo, Kalamazoo Township, Watervliet and Watervliet Township.

NEW HAMPSHIRE—*Concord*.—Month of March, 1899. Estimated population, 18,000. Total number of deaths, 35, including la grippe, 1, and 1 from tubercular meningitis.

NORTH CAROLINA.—Reports to the State board of health from 24 towns having an aggregate population of 154,603, show a total of 213 deaths, including enteric fever, 1; whooping cough, 2, and 29 from phthisis pulmonalis.

Smallpox was reported present as follows: Alleman County, 3 cases; Bertie County, 8 cases; Currituck, 2 cases; Gates County, several cases; Halifax County, 8 cases; Johnston County, 1 case; McDowell County, 2 cases; Pasquotank County, 15 cases; Perquimans County, 1 case; Wake County, 1 case; Wilson County, 1 case.

Charlotte.—Month of March, 1899. Estimated population, 26,153. Total number of deaths, 28, including enteric fever, 1, and 3 from phthisis pulmonalis.

PENNSYLVANIA—*Williamsport*.—Month of March, 1899. Estimated population, 35,000. Total number of deaths, 28, including enteric fever, 2, and 1 from phthisis pulmonalis.

TENNESSEE—*Chattanooga*.—Month of March, 1899. Estimated population, 40,000—white, 27,000; colored, 13,000. Total number of deaths, 67—white, 36; colored, 31, including enteric fever, 2; la grippe, 1, and 7 from phthisis pulmonalis.

TEXAS—*San Antonio*.—Month of March, 1899. Estimated population, 63,000. Total number of deaths, 113, including diphtheria, 1; enteric fever, 2; cerebro-spinal meningitis, 3, and 36 from phthisis pulmonalis, mostly nonresidents.

VIRGINIA—*Petersburg*.—Month ended March 26, 1899. Estimated population, 25,000—white, 12,000; colored, 13,000. Total number of deaths, 36—white, 12; colored, 24, including enteric fever, 1, and 7 from phthisis pulmonalis.

WEST VIRGINIA—*Wheeling*.—Quarter ended March 31, 1899. Census population, 35,015. Total number of deaths, 168, including diphtheria, 2; enteric fever, 14; cerebro-spinal meningitis, 1, and 21 from phthisis pulmonalis.